



# VL LOCITY-PLATFORM-DEVELOPER<sup>Q&As</sup>

Vlocity-Platform-Developer - Vlocity Platform Developer Exam (v5.0)

**Pass Vlocity VLOCITY-PLATFORM-DEVELOPER  
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/vlocity-platform-developer.html>

**100% Passing Guarantee**  
**100% Money Back Assurance**

Following Questions and Answers are all new published by Vlocity  
Official Exam Center



VCE & PDF

GeekCert.com

<https://www.geekcert.com/vlocity-platform-developer.html>

2024 Latest geekcert VLOCITY-PLATFORM-DEVELOPER PDF and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

For testing an Omniscript the ContextId is the only key in a Set Values element Before going into production, what are two possible best practices for this ContextId?

Choose 2 answers

- A. Delete the Set Values element.
- B. Do nothing. It will be ignored at runtime.
- C. Deactivate the Set Values element.
- D. Add the correct ContextId to the {Data} modal

Correct Answer: AD

---

### QUESTION 2

What parent JSON node name must be sent to a Calculation Procedure?

- A. input
- B. Input
- C. inputs
- D. Inputs

Correct Answer: C

---

### QUESTION 3

in an OmniScript, you need to get data from a single field in a Salesforce record. What element does this?

- A. Select
- B. HTTP Action
- C. Lookup
- D. DataRaptor Post Action

Correct Answer: C

---

### QUESTION 4

You are building a DataRaptor Load for an Integration Procedure used in an OmniScript. Based on best practices, how should you configure the Input JSON?



- A. Build the Input JSON node by node in the DataRaptor Designer.
- B. Copy the Input JSON from the DataRaptor Action Debug node.
- C. Copy the Input JSON from the OmniScript {Data} modal.
- D. Build the Input JSON node by node in an editor.

Correct Answer: C

---

#### QUESTION 5

How is data accessed for a Field element in a FlexCard that wants the AccountName?

- A. records
- B. {records}
- C. {AccountName}
- D. AccountName

Correct Answer: C

[VLOCITY-PLATFORM-DEVELOPER VCE Dumps](#)

[VLOCITY-PLATFORM-DEVELOPER Exam Questions](#)

[VLOCITY-PLATFORM-DEVELOPER Braindumps](#)