



VL LOCITY-PLATFORM-DEVELOPER^{Q&As}

Vlocity-Platform-Developer - Vlocity Platform Developer Exam (v5.0)

**Pass Vlocity VLOCITY-PLATFORM-DEVELOPER
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/vlocity-platform-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Vlocity
Official Exam Center



VCE & PDF

GeekCert.com

<https://www.geekcert.com/vlocity-platform-developer.html>

2024 Latest geekcert VLOCITY-PLATFORM-DEVELOPER PDF and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

If the email address of a Contact is changed in an OmniScript, which of the following should be configured to update the contact's record in Salesforce?

- A. A DataRaptor Transform that maps the new Email address to the old Email address field.
- B. A DataRaptor Extract that includes the RecordId, the upsert key selected, and the new Email address.
- C. A DataRaptor Load that includes the RecordId, the upsert key selected, and the new Email address.
- D. A DataRaptor Transform that includes the previous email with the upsert key selected and the new Email address.

Correct Answer: D

QUESTION 2

You are troubleshooting an Integration Procedure with two elements: a Remote Action named FetchCart and a Response Action named ResponseCart. In PREVIEW, what JSON node shows the data sent to the Remote Action?

- A. ResponseCartDebug
- B. ResponseCart
- C. FetchCartDebug
- D. FetchCart

Correct Answer: C

QUESTION 3

You are configuring an Integration Procedure Action in an OmniScript. The OmniScript needs a JSON response from the Integration Procedure, but you do not want to wait for the response for the user to proceed.

What feature do you enable?

- A. Toast Completion
- B. Invoke Mode Fire and Forget
- C. Invoke Mode Non-Blocking
- D. Use Future

Correct Answer: A



QUESTION 4

The card layout below has an Integration Procedure as a data source. The cards use the layout data source. Which JSON data structure below supports this card layout and uses best practices.

Account	Contact	Contact
Name: Acme	Name: Edward Stamos	Name: Howard Jones
Phone: (222) 154-6450	Cell Phone: (212) 154-8562	Cell Phone: (650) 156-1102

A. {"ContactCellPhoneTM": "(212) 154-8562", "ContactName": "Edward Stamos", "AccountPhone": "2221546450", "AccountName": "Acme"

```
{
  "ContactCellPhoneTM": "(650) 156-1102",
  "ContactName": "Howard Jones",
  "AccountPhone"TM: "2221546450",
  "AccountName"TM "Acme"
}
```

B. "Contact": [{ "CellPhone": "(212) 154-8562",
"Name": "Edward Stamos"
},
t
"CellPhone". "(650) 156-1102",
"Name": "Howard Jones"
}

Correct Answer: B

QUESTION 5

You have configured an Integration Procedure element with SEND/RESPONSE TRANSFORMATIONS as shown. Alternatively, how would you configure Additional Input to send exactly the same data? Assume that you check Send Only Additional Input.



▼ SEND/RESPONSE TRANSFORMATIONS

Send JSON Path ⓘ	Send JSON Node ⓘ
<input type="text" value="DRExtractAction:Account"/>	<input type="text" value="SecondaryAccount"/>
Response JSON Path ⓘ	Response JSON Node ⓘ
<input type="text"/>	<input type="text"/>

- | | | |
|----|---------------------------|---------------------------|
| A. | Key | Value |
| | SecondaryAccount | %DRExtractAction:Account% |
| B. | Key | Value |
| | SecondaryAccount | DRExtractAction:Account |
| C. | Key | Value |
| | %DRExtractAction:Account% | SecondaryAccount |
| D. | Key | Value |
| | DRExtractAction:Account | SecondaryAccount |

A. B. C. D.

Correct Answer: D

[VLOCITY-PLATFORM-DEVELOPER PDF Dumps](#)

[VLOCITY-PLATFORM-DEVELOPER Exam Questions](#)

[VLOCITY-PLATFORM-DEVELOPER Braindumps](#)