



MS-101^{Q&As}

Microsoft 365 Mobility and Security

Pass Microsoft MS-101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ms-101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

You have a Microsoft 365 subscription that contains a Microsoft SharePoint Online site named Site1. Site1 has the files shown in the following table.

Answer Area

User1:

| | |
|----------|---|
| | ▼ |
| 0 days | |
| 30 days | |
| 90 days | |
| 180 days | |
| 365 days | |

User2:

| | |
|----------|---|
| | ▼ |
| 0 days | |
| 30 days | |
| 90 days | |
| 180 days | |
| 365 days | |

For Site1, users are assigned the roles shown in the following table.



Answer Area

User1:

| | |
|----------|---|
| | ▼ |
| 0 days | |
| 30 days | |
| 90 days | |
| 180 days | |
| 365 days | |

User2:

| | |
|----------|---|
| | ▼ |
| 0 days | |
| 30 days | |
| 90 days | |
| 180 days | |
| 365 days | |

You create a data loss prevention (DLP) policy named Policy1 as shown in the following exhibit.

| Name | Number of IP addresses in the file |
|------------|------------------------------------|
| File1.docx | 1 |
| File2.txt | 2 |
| File3.xlsx | 2 |
| File4.bmp | 3 |
| File5.doc | 5 |

How many files will be visible to User1 and User2 after Policy1 is applied? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:



| Name | Role |
|-------|---------|
| User1 | Owner |
| User2 | Visitor |

Correct Answer:

New DLP policy

✓ Choose the information to protect

✓ Name your policy

✓ Choose locations

✓ Policy settings

● Review your settings

Review your settings

Template name
Custom policy

Policy name
Policy1

Description

Applies to content in these locations
SharePoint sites

Policy settings
If the content contains these types of sensitive info: IP Address
then notify people with a policy tip and email message.

If there are at least 2 instances of the same type of sensitive info,
block access to the content.

Turn policy on after it's created?
Yes

Reference: <https://docs.microsoft.com/en-gb/exchange/security-and-compliance/mail-flow-rules/inspect-message-attachments>

QUESTION 2

HOTSPOT



You have retention policies in Microsoft 365 as shown in the following table.

Answer Area

If a message is identified as a domain impersonation, [answer choice].

| |
|--|
| ▼ |
| the message is delivered to the Inbox folder |
| the message is moved to the Deleted Items folder |
| the messages are moved to the Junk Email folder |

To reduce the likelihood of the impersonation policy generating false positives, configure [answer choice].

| |
|---------------------------------|
| ▼ |
| Advanced phishing thresholds |
| Domain impersonation |
| Enable antispooofing protection |
| Mailbox intelligence |

Policy1 is configured as shown in the Policy1 exhibit. (Click the Policy1 tab.) Policy2 is configured as shown in the Policy2 exhibit. (Click the Policy2 tab.)

Answer Area

If a message is identified as a domain impersonation, [answer choice].

| |
|--|
| ▼ |
| the message is delivered to the Inbox folder |
| the message is moved to the Deleted Items folder |
| the messages are moved to the Junk Email folder |

To reduce the likelihood of the impersonation policy generating false positives, configure [answer choice].

| |
|---------------------------------|
| ▼ |
| Advanced phishing thresholds |
| Domain impersonation |
| Enable antispooofing protection |
| Mailbox intelligence |

| Name | Location |
|---------|---|
| Policy1 | OneDrive accounts |
| Policy2 | Exchange email, Exchange public folders, Office 365 groups, OneDrive accounts, SharePoint sites |

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:



Decide if you want to retain content, delete it, or both

Do you want to retain content? ⓘ

☐ Yes, I want to retain it ⓘ

For this long... ▾

7

years ▾

☒ No, just delete content that's older than ⓘ

2

years ▾

Delete the content based on

when it was created ▾ ⓘ

Need more options?

☐ Use advanced retention settings ⓘ

Back

Next

Cancel

Correct Answer:



Decide if you want to retain content, delete it, or both

Do you want to retain content?

☒ Yes, I want to retain it

For this long... years

Retain the content based on

Do you want us to delete it after this time?

☐ Yes ☒ No

☐ No, just delete content that's older than [i](#)

years

Need more options?

☐ Use advanced retention settings [i](#)

Back

Next

Cancel

References: <https://docs.microsoft.com/en-us/office365/securitycompliance/retention-policies#the-principles-of-retention-or-what-takes-precedence>

QUESTION 3

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that contains a user named User1.

You need to enable User1 to create Compliance Manager assessments.

Solution: From the Microsoft 365 admin center, you assign User1 the Compliance data admin role.

Does this meet the goal?



A. Yes

B. No

Correct Answer: B

Reference: <https://github.com/MicrosoftDocs/microsoft-365-docs/blob/public/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center.md>

QUESTION 4

HOTSPOT

You have a Microsoft Azure Active Directory (Azure AD) tenant named sk180818.onmicrosoft.com. The tenant contains the users shown in the following table.

Answer Area

Computer1-London:

| | |
|--------------------|---|
| | ▼ |
| Group1 | |
| Group2 | |
| Group3 | |
| Ungrouped machines | |

Server1-London:

| | |
|--------------------|---|
| | ▼ |
| Group1 | |
| Group2 | |
| Group3 | |
| Ungrouped machines | |

In Azure Information Protection, you create a label named Label1 as shown in the following exhibit.



Answer Area

Computer1-London:

| | |
|--------------------|---|
| | ▼ |
| Group1 | |
| Group2 | |
| Group3 | |
| Ungrouped machines | |

Server1-London:

| | |
|--------------------|---|
| | ▼ |
| Group1 | |
| Group2 | |
| Group3 | |
| Ungrouped machines | |

Label1 is applied to a file named File1.

You send File1 as an email attachment to User1, User2, User3, and User4.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

| Name | Username | Type |
|-------|--------------------------------|--------|
| User1 | User1@sk180818.cnmicrosoft.com | Member |
| User2 | User2@sk180818.cnmicrosoft.com | Member |
| User3 | User3@sk180818.cnmicrosoft.com | Member |
| User4 | User4@gmail.com | Guest |

Correct Answer:



Protection settings



Select the protection action type

- ☒ Set permissions
- ☐ Set user-defined permissions (Preview)

USERS

AuthenticatedUsers

sk180818.onmicrosoft.com

User1@sk180818.onmicrosoft.com

User2@sk180818.onmicrosoft.com

PERMISSIONS

Viewer

Reviewer

Co-Owner

Co-Author

[+Add permissions](#)

Reference: <https://docs.microsoft.com/en-us/azure/information-protection/configure-usage-rights#rights-included-in-permissions-levels>

QUESTION 5

You deploy Microsoft Azure Information Protection.

You need to ensure that a security administrator named SecAdmin1 can always read and inspect data protected by Azure Rights Management (Azure RMS).

What should you do?

- A. From the Security and Compliance admin center, add User1 to the eDiscovery Manager role group.
- B. From the Azure Active Directory admin center, add User1 to the Security Reader role group.
- C. From the Security and Compliance admin center, add User1 to the Compliance Administrator role group.
- D. From Windows PowerShell, enable the super user feature and assign the role to SecAdmin1.



Correct Answer: D

The super user feature of the Azure Rights Management service from Azure Information Protection ensures that authorized people and services can always read and inspect the data that Azure Rights Management protects for your organization. However, the super user feature is not enabled by default. The PowerShell cmdlet Enable-AadrmSuperUserFeature is used to manually enable the super user feature.

References: <https://docs.microsoft.com/en-us/azure/information-protection/configure-super-users>

QUESTION 6

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

You sign for Microsoft Store for Business.

The tenant contains the users shown in the following table.

| Name | Microsoft Store for Business role | Azure AD role |
|-------|-----------------------------------|---------------------------------|
| User1 | Purchaser | None |
| User2 | Basic Purchaser | None |
| User3 | None | Application administrator |
| User4 | None | Cloud application administrator |
| User5 | None | None |

Microsoft Store for Business has the following Shopping behavior settings:

1.

Allow users to shop is set to On

2.

Make everyone a Basic Purchaser is set to Off

You need to identify which users can install apps from the Microsoft for Business private store.

Which users should you identify?

A. User1, User2, User3, User4, and User5

B. User1 only

C. User1 and User2 only

D. User3 and User4 only

E. User1, User2, User3, and User4 only

Correct Answer: C

Allow users to shop controls the shopping experience in Microsoft Store for Education. When this setting is on,



Purchasers and Basic Purchasers can purchase products and services from Microsoft Store for Education.

References: <https://docs.microsoft.com/en-us/microsoft-store/acquire-apps-microsoft-store-for-business>

QUESTION 7

Your company has a Microsoft 365 E3 subscription with auditing enabled. You are responsible for examining the Microsoft 365 audit log. Which of the following is the number of days that data in the audit log will be available?

- A. 7
- B. 30
- C. 90
- D. 180

Correct Answer: D

References: <https://docs.microsoft.com/en-us/office365/securitycompliance/search-the-audit-log-in-security-and-compliance>

QUESTION 8

Which report should the New York office auditors view?

- A. DLP policy matches
- B. DLP false positives and overrides
- C. DLP incidents
- D. Top Senders and Recipients

Correct Answer: C

This report also shows policy matches over time, like the policy matches report. However, the policy matches report shows matches at a rule level; for example, if an email matched three different rules, the policy matches report shows three

different line items. By contrast, the incidents report shows matches at an item level; for example, if an email matched three different rules, the incidents report shows a single line item for that piece of content.

Because the report counts are aggregated differently, the policy matches report is better for identifying matches with specific rules and fine tuning DLP policies. The incidents report is better for identifying specific pieces of content that are

problematic for your DLP policies.

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>



QUESTION 9

DRAG DROP

Your company has a Microsoft 365 E5 tenant.

Users access resources in the tenant by using both personal and company-owned Android devices. Company policies requires that the devices have a threat level of medium or lower to access Microsoft Exchange Online mailboxes.

You need to recommend a solution to identify the threat level of the devices and to control access of the devices to the resources.

What should you include in the solution for each device type? To answer, drag the appropriate components to the correct devices. Each component may be used once, more than once, or not at all. You may need to drag the split bar between

panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:



Solutions

An app configuration policy

An app protection policy

A compliance policy

A configuration profile

Answer Area

Company-owned devices:

Solution

Personal devices:

Solution

Correct Answer:



Solutions

An app configuration policy

A configuration profile

Answer Area

Company-owned devices:

A compliance policy

Personal devices:

An app protection policy

QUESTION 10

You have a Microsoft 365 subscription.

You need to prevent users from accessing your Microsoft SharePoint Online sites unless the users are connected to your on-premises network.

Solution: From the Endpoint Management admin center, you create a device configuration profile.

Does this meet the goal?

A. Yes

B. No



Correct Answer: B

You need to create a trusted location and a conditional access policy.

QUESTION 11

Note: The question is included in a number of questions that depicts the identical set-up. However, every question has a distinctive result. Establish if the solution satisfies the requirements.

You have a Microsoft 365 E3 subscription that includes Windows 10 Pro Microsoft Azure Active Directory (Azure AD) joined devices.

You have been tasked with upgrading the edition of the Windows 10 devices to Enterprise. Your strategy should allow for the upgrade to occur upon the users\' next sign-in, with minimum interruption for the users.

Solution: You make use of Windows Autopilot to achieve your goal.

Does the solution meet the goal?

A. Yes

B. No

Correct Answer: B

References: <https://docs.microsoft.com/en-us/windows/deployment/windows-autopilot/windows-autopilot>

QUESTION 12

You have a Microsoft 365 F5 subscription.

You plan to deploy 100 new Windows 10 devices.

You need to order the appropriate version of Windows 10 for the new devices. The version must Meet the following requirements.

1.

Be serviced for a minimum of 24 months.

2.

Support Microsoft Application Virtualization (App-V) Which version should you identify?

A. Window 10 Pro, version 1909

B. Window 10 Pro, version 2004

C. Window 10 Pro, version 1909

D. Window 10 Enterprise, version 2004

Correct Answer: D



Reference:

<https://docs.microsoft.com/en-us/windows/release-health/release-information> <https://docs.microsoft.com/en-us/windows/application-management/app-v/appv-supported-configurations>

QUESTION 13

You have a Microsoft 365 E5 tenant that contains 500 Windows 10 devices. The devices are enrolled in Microsoft Intune.

You plan to use Endpoint analytics to identify hardware issues.

You need to enable Windows health monitoring on the devices to support Endpoint analytics.

What should you do?

- A. Create a configuration profile.
- B. Create a compliance policy.
- C. Configure the Endpoint analytics baseline regression threshold.
- D. Create a Windows 10 Security Baseline profile.

Correct Answer: A

Reference: <https://docs.microsoft.com/en-us/mem/intune/configuration/windows-health-monitoring>

QUESTION 14

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You discover that some external users accessed content on a Microsoft SharePoint site. You modify the SharePoint sharing policy to prevent sharing outside your organization.

You need to be notified if the SharePoint sharing policy is modified in the future.

Solution: From the SharePoint site, you create an alert.

Does this meet the goal?

- A. Yes
- B. No



Correct Answer: B

QUESTION 15

You need to protect the U.S. PII data to meet the technical requirements. What should you create?

- A. a data loss prevention (DLP) policy that contains a domain exception
- B. a Security and Compliance retention policy that detects content containing sensitive data
- C. a Security and Compliance alert policy that contains an activity
- D. a data loss prevention (DLP) policy that contains a user override

Correct Answer: A

References: <https://docs.microsoft.com/en-us/office365/securitycompliance/create-activity-alerts>

[Latest MS-101 Dumps](#)

[MS-101 PDF Dumps](#)

[MS-101 Braindumps](#)