



MS-200^{Q&As}

Planning and Configuring a Messaging Platform

Pass Microsoft MS-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/ms-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

You are deploying Microsoft Exchange Server 2019 to two data centers in Paris and London. The Paris data center contains a file server named PAR-FILE01 and three Mailbox servers named PAR-MBX01, PAR-MBX02 and PAR-MBX03.

The London data center contains a file server named LON-FILE01 and three Mailbox servers named LON-MBX01, LON-MBX02, and LON-MBX03.

You create a database availability group (DAG) that contains all six Mailbox servers and has PAR-FILE01 as a primary witness.

You need to set LON-FILE01 as the alternate witness.

Which cmdlet should you run?

- A. New-DatabaseAvailabilityGroupNetwork
- B. Set-MailboxDatabaseCopy
- C. Set-DatabaseAvailabilityGroupNetwork
- D. Set-DatabaseAvailabilityGroup
- E. Add-DatabaseAvailabilityGroupServer

Correct Answer: D

References: <https://docs.microsoft.com/en-us/powershell/module/exchange/database-availability-groups/set-databaseavailabilitygroup?view=exchange-ps>

QUESTION 2

DRAG DROP

You have data centers in Seattle and Montreal. Each data center has its own Active Directory site.

You deploy Microsoft Exchange Server 2019 to a database availability group (DAG) named DAG01. DAG01 spans both data centers.

Each data center contains two Mailbox servers that have Datacenter Activation Coordination (DAC) mode enabled.

A WAN outage prevents communication between the Montreal and Seattle data centers. The outage will last several days.

You stop the cluster service on the Mailbox servers in the Seattle data center, and you stop the DAG in the Montreal data center.

You need to switch all the Exchange operations to the Seattle data center for a weekend.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view



content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values

Answer Area

Stop-Service -id ClusSvc

Stop-DatabaseAvailabilityGroup
-id DAG01

Set-DatabaseAvailabilityGroup -id
DAG01

Start-DatabaseAvailabilityGroup
-id DAG01

Restore-DatabaseAvailabilityGroup
-id DAG01

-ActiveDirectorySite Montreal
-ConfigurationOnly

-ActiveDirectorySite Seattle

Correct Answer:

Values

Answer Area

Stop-Service -id ClusSvc

Set-DatabaseAvailabilityGroup -id
DAG01

Start-DatabaseAvailabilityGroup
-id DAG01

Stop-DatabaseAvailabilityGroup
-id DAG01

-ActiveDirectorySite Montreal
-ConfigurationOnly

Restore-DatabaseAvailabilityGroup
-id DAG01

-ActiveDirectorySite Seattle

References: <https://docs.microsoft.com/en-us/exchange/high-availability/manage-ha/datacenter-switchovers?view=exchserver-2019>

QUESTION 3

You need to meet the technical requirements for the mobile device of User2. Which cmdlet should you run?

- A. Remove-MobileDevice
- B. Clear-MobileDevice
- C. Clear-Content
- D. Remove-ActiveSyncDevice



Correct Answer: B

QUESTION 4

You plan to deploy a Microsoft Exchange Server 2019 organization that will contain the servers shown in the following table.

Name	Active Directory site
EX01	Site1
EX02	Site2
EX03	Site2

The sites connect to each other by using a high-cost, slow WAN link. Each site also connects directly to the Internet.

You need to ensure that outgoing email to the Internet always uses a server in the local site.

What should you create?

- A. one Send connector that uses two smart hosts
- B. two Send connectors that use different smart hosts
- C. two scoped Send connectors that have the same namespace
- D. two Send connectors that have different namespaces

Correct Answer: C

QUESTION 5

You are deploying Microsoft Exchange Server 2019 to two data centers.

You need to protect all mailbox content against database corruption. The solution must minimize the recovery time objective (RTO) and the recovery point objective (RPO).

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. a recovery database
- B. a lagged database copy
- C. PST files
- D. a dial tone restore

Correct Answer: B

QUESTION 6



DRAG DROP

You have a Microsoft Exchange Server 2019 organization that contains a Mailbox server named MBX01.

You back up MBX01 by using Windows Server Backup.

You need to recover a deleted mailbox. The solution must minimize the impact on other mailboxes.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Run the `isinteg.exe` command and specify the `-fix` parameter.

Create a recovery database.

Run the `New-MailboxRestoreRequest` cmdlet.

Restore the database backup.

Run the `New-MailboxMoveRequest` cmdlet.

Install Exchange Server 2019 on a new server.

Run the `eseutil.exe` command and specify the `/r` parameter.

Answer Area



Correct Answer:



Actions

Run the `isinteg.exe` command and specify the `-fix` parameter.

Run the `New-MailboxRestoreRequest` cmdlet.

Install Exchange Server 2019 on a new server.

Answer Area

Restore the database backup.

Run the `eseutil.exe` command and specify the `/r` parameter.

Create a recovery database.

Run the `New-MailboxMoveRequest` cmdlet.

References: <https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/restore-data-using-recovery-dbs?view=exchserver-2019>

QUESTION 7

DRAG DROP

You have a Microsoft Exchange Server 2016 organization.

Users access their email by using a URL of `https://mail.contoso.com`.

You are installing a new Exchange Server 2019 Mailbox server to replace an existing Exchange Server 2016 server.

You need to secure all the Exchange services by using a certificate. The solution must minimize warnings on client computers.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

**Actions****Answer Area**

Assign the certificate to the services.

Create a self-signed certificate.

Import a certificate.

Export a certificate.

Request a new certificate.

Correct Answer:

Actions**Answer Area**

Create a self-signed certificate.

Request a new certificate.

Export a certificate.

Import a certificate.

Assign the certificate to the services.

QUESTION 8**HOTSPOT**

You have a Microsoft Exchange Server 2019 organization that uses an address space of fabrikam.com.

The organization contains the Send connectors shown in the following table.

Name	Address space	Cost	Message size limit	Smart host
Conn1	*	1	50 MB	10.10.1.1
Conn2	Contoso.com	50	10 MB	10.10.1.5
Conn3	Adatum.com	10	25 MB	10.10.1.5
Conn4	*	100	10 MB	192.168.1.2



You need to identify what occurs when users send email to different external recipients. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

A user sends a 25-MB email message to user1@contoso.com:

- The message is delivered by using Conn1
- The message is delivered by using Conn2
- The message is delivered by using Conn3
- The message is delivered by using Conn4
- The message is rejected.

A user sends a 20-MB email message to user1@adatum.com:

- The message is delivered by using Conn1
- The message is delivered by using Conn2
- The message is delivered by using Conn3
- The message is delivered by using Conn4
- The message is rejected.

Correct Answer:

Answer Area

A user sends a 25-MB email message to user1@contoso.com:

- The message is delivered by using Conn1
- The message is delivered by using Conn2
- The message is delivered by using Conn3
- The message is delivered by using Conn4
- The message is rejected.

A user sends a 20-MB email message to user1@adatum.com:

- The message is delivered by using Conn1
- The message is delivered by using Conn2
- The message is delivered by using Conn3
- The message is delivered by using Conn4
- The message is rejected.

References: <https://docs.microsoft.com/en-us/exchange/mail-flow/mail-routing/connector-selection?view=exchserver-2019>

QUESTION 9

HOTSPOT

Your network contains an Active Directory forest. The forest contains the servers in the following table.



Name	Configuration	Domain	Site
DC01	Domain controller (schema master)	Litware.com	SiteA
EX01	Microsoft Exchange server	Litware.com	SiteA
DC02	Domain controller	Litware.com	SiteB
DC03	Domain controller (domain naming operations master)	Corp.litware.com	SiteB
EX02	Microsoft Exchange server	Corp.litware.com	SiteB
DC04	Domain controller	Dmz.litware.com	SiteC

The dmz.litware.com domain contains mail-enabled user accounts but does not contain any Exchange servers.

You plan to replace the existing Exchange servers with new servers that have Exchange Server 2019 installed.

You need to extend the schema and prepare the Active Directory domains.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Run setup /PrepareSchema on:

Domains in which you must run setup /PrepareDomain after running setup /PrepareAD:

Correct Answer:

Answer Area

Run setup /PrepareSchema on:

Domains in which you must run setup /PrepareDomain after running setup /PrepareAD:



QUESTION 10

You have a Microsoft Exchange Server 2019 organization that contains multiple servers. The Exchange organization contains a server named EX01. EX01 contains a mailbox database that uses 200 GB of disk space. You run the following commands on EX01.

```
Get-Mailbox -MailboxDatabase DB01 | New-MoveRequest -TargetDatabase 'DB02'
```

```
Remove-MailboxDatabase -Identity DB01
```

You need to reclaim the available disk space on EX01.

- A. From Exchange Management Shell, run the Remove-MigrationBatch cmdlet and specify the Force parameter.
- B. From a command prompt, run the eseutil.exe /R EX01 command.
- C. From Exchange Management Shell, run the Remove-Item cmdlet and specify the Path parameter.
- D. From Exchange Management Shell, run the Remove-StoreMailbox cmdlet.

Correct Answer: D

Reference: <https://docs.microsoft.com/en-us/powershell/module/exchange/mailbox-databases-and-servers/remove-storemailbox?view=exchange-ps>

QUESTION 11

You need to recommend a deployment plan that meets the technical requirements for the mailbox databases. What should you include in the recommendation?

- A. Deploy one Exchange server to the main office and two Exchange servers to each branch office. Create one mailbox database on each server.
- B. Deploy 10 Exchange servers to the main office and one Exchange server to each branch office. Create two mailbox databases on each server.
- C. Deploy 11 Exchange servers to the main office and one Exchange server to each branch office. Create one mailbox database on each server.
- D. Deploy one Exchange server to each office. Create two mailbox databases on each server. Create copies of the databases on another server.

Correct Answer: D

QUESTION 12

You have a Microsoft Exchange Server 2019 organization that contains four Mailbox servers. You are decommissioning a Mailbox server named EX01.



When you attempt to remove one of the mailbox databases from EX01, you receive a warning message that the database still contains mailboxes.

You run Get-Mailbox -Server EX01 and confirm that all user mailboxes are hosted on other servers.

You need to remove the mailbox database.

What should you do first?

- A. Disable circular logging.
- B. Move the arbitration mailboxes to another server.
- C. Run eseutil /p.
- D. Stop the Microsoft Exchange Information Store service.

Correct Answer: B

QUESTION 13

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 server named EX01. EX01 has the default Receive connectors. EX01 receives Internet email on port 25 from an appliance in the company's perimeter network.

The company has an application named App1 that can only send email on port 25. The application administrator requests that you enable App1 to route email through EX01 for delivery.

You need to ensure that EX01 only accepts email from the appliance and App1.

Solution: You modify the remote IP address ranges of the default frontend Receive connector.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: A

References: <https://docs.microsoft.com/en-us/exchange/mail-flow/connectors/receive-connectors?view=exchserver-2019>



QUESTION 14

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com.

You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.

What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal.

- A. Create a remote domain
- B. Create a mail flow rule
- C. Create an accepted domain
- D. Create a connector

Correct Answer: A

QUESTION 15

You are deploying Microsoft Exchange Server 2019.

You plan to test the performance of the MetaCache Database (MCDB).

You deploy a new Exchange Server 2019 server that has the following configurations:

1.

Four quad-core Xeon processors

2.

One 1-Gbps network adapter

3.

Four 1-TB hard disk drives (HDDs)

4.

256 GB of memory

What should you do to support the MCDB?

- A. Add four additional processors
- B. Replace the 1-Gbps network adapter with a 10-Gbps network adapter
- C. Add an additional 256 GB of memory
- D. Add two solid-state drives (SSDs)



Correct Answer: D

References: <https://docs.microsoft.com/en-us/exchange/high-availability/database-availability-groups/metacachedatabase-setup?view=exchserver-2019>

[Latest MS-200 Dumps](#)

[MS-200 PDF Dumps](#)

[MS-200 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.