NS0-157$^{Q\&As}$

NetApp Certified Data Administrator, Clustered Data ONTAP

Pass Network Appliance NS0-157 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/ns0-157.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

Fpolicy supports which of the following protocols? (choose 6)

A. SMB 1.0

B. iSCSI

C. SMB 2.0

D. SMB 2.1

E. FC

F. SMB 3.0

G. NFS v3

H. NFS v4.0

Correct Answer: ACDFGH

Fpolicy support all SMB versions SMB 1.0, SMB 2.0, SMB 2.1 and SMB 3.0, and major NFS versions like NFS v3 and NFS v4.0

QUESTION 2

Your company is told that it must follow strict requirements for auditing purposes when creating user accounts for each department.

Which feature in clustered Data ONTAP accomplishes this task?

A. LDAP integration

B. workgroup access

C. role-based access control

D. mixed-mode security

Correct Answer: A

QUESTION 3

The vifMgr is out of quorum on the node that is the master for the vifMgr ring. Which of the following statements are true? (choose all that apply)

A. A new master will be elected for the vifMgr RDB unit

B. Epsilon will not be available in the cluster

C. Clients can access data through the LIFs on this node

D. A new LIF can be created for a data vserver

Correct Answer: AC

QUESTION 4

A FAS6280 running ONTAP 8.0.2 HAS A 32-bit root aggregate. After upgrading to Data ONTAP 8.1, what is the status of the root aggregate?

A. The root aggregate remains 32-bit

B. The root aggregate converts from 32 to 64-bit in place

C. The root aggregate auto-migrates to a new 64-bit aggregate

D. The upgrade fails with a message to create a new 64-bit aggregate before upgrade

Correct Answer: A

QUESTION 5

Which three NFS versions foes Data ONTAP 8.1 Cluster-Mode support? (Choose three)

A. NFSv.0

B. NFSv.1

C. NFSv.1.1

D. NFSv3.0

E. NFSv4.1

F. NFSv5.0

Correct Answer: DEF

http://www.globbtv.com/microsite/18/Adjuntos/TR- 4067%20NFSV3V4%20IN%20DATA%20ONTAP%208.1%20OPERATING%20IN%20CLU STER-MODE%20IMPLEMENTATION%20GUIDE.PDF

QUESTION 6

You have a 4-node cluster serving home directories over two IPs per node.

Which two methods would you use to set up DNS load balancing over a single name to the eight IP addresses? (Choose two.)

A. On-Box DNS using a DNS delegation record

B. Off-Box Round Robin DNS

C. On-Node PTR records with reverse lookup per node

D. Off-Node CNAME records for each node management interface

Correct Answer: AB

Reference: https://kb.netapp.com/support/index?page=contentandid=1013801

QUESTION 7

What does Storage Failover Allow?

A. disk to fail over between HA partners

B. disk to fail over to a plex

C. disk to fail over to any node in a cluster

D. disk to fail over to the Epsilon node

Correct Answer: A

https://library.netapp.com/ecmdocs/ECMP1196817/html/storage/failover/show.html

QUESTION 8

Which of the following is a feature of NFS 4.1?

A. ACLs are not used

B. Clients can re-acquire a delegation without re-opening a file

C. Symbolic links are not support

D. Traffic can occur over Fibre Channel

E. It is stateless

Correct Answer: B

QUESTION 9

Which statement describes a MetroCluster environment in clustered Data ONTAP?

A. A single cluster at each site interconnected using FC switches and Ethernet switches.

B. A single cluster at each site interconnected using FC switches only.

C. A single HA pair cabled across sites using FC switches.

D. A single HA pair stretched across sites using extended cables.

Correct Answer: D

http://www.unitis.hu/downloads/MetroClusterContinuousAvailabilitySEPresentation_.pdf

QUESTION 10

Which three storage features can be scaled by storage administrators? (Choose three.)

A. capacity scaling, by allowing more than two storage systems to be combined with larger disk shelves

B. energy scaling, by allowing the cluster to share the same power source

C. heterogeneous scaling, by allowing E-Series and FAS-Series systems within a single cluster

D. network scaling, by providing three or more network switches for the cluster network

E. operational scaling, by allowing the entire cluster to be administrated through a single resilient interface

F. performance scaling, by using Flash Cache, SSDs, and Quality of Service

Correct Answer: AEF

QUESTION 11

A storage administrator create a Quality of Service (QoS) policy named pgMB300 which sets a maximum throughput of 300MB/s, and a second Quality of Service policy named pglO200 which sets the maximum throughput to 200 IOPS. The storage administrator assigns the pgMB300 QoS policy to Vserver vs1. The storage administrator then attempts to assign the pglO200 QOS policy to vol1 of vs1.

What is the outcome?

A. The attempt will succeed. You can assign Qos policy to storage object so long as single object does not have multiple policy groups assigned to it.

B. The attempt will fail. You cannot have policies with differently maximum throughput units. They all have to be MB/s or all have to be IOPS.

C. The attempt will succeed. You can nest IOPS policy limit instead a MB/s policy limit.

D. The attempt will fail. You cannot nest policy groups in any manner.

Correct Answer: D

In the following illustration, the Vserver vs3 is assigned to policy group pg2. You cannot assign volumes vol4 or vol5 to a policy group because an object in the storage hierarchy (Vserver vs3) is assigned to a policy group.

https://library.netapp.com/ecmdocs/ECMP1196798/html/GUID-8992DEA7-DDA8-45FB- A7580B21AE183CDC-low.gif
https://library.netapp.com/ecmdocs/ECMP1196798/html/GUID-A307C24C-2416-4491- 85101D1A386585EC.html

QUESTION 12

Why would you use NetApp Snapshots?

A. for data protection

B. to increase performance

C. for network resiliency

D. for storage failover

Correct Answer: A

Reference: http://www.netapp.com/us/products/platform-os/snapshot.aspx

QUESTION 13

On the FAS6290 series controllers, what reference tool lists the on-board 10GbE ports used for the cluster network?

A. Tech.netwpp.com

B. Portconfiguration.netapp.com

C. HWU.netapp.com

D. FieldPortal.netapp.com

E. NetApp Cluster Port Usage Guide

F. Synergy

Correct Answer: C

http://www.netapp.com/uk/products/storage-systems/fas6200/fas6200-tech-specs.aspx

QUESTION 14

What are the characteristics of Snapmirror? (choose three)

A. Provides data protection for disaster recovery

B. If the source FlexVol volume is lost, clients can restore data from the secondary to primary storage

C. Can asynchronously copy the source FlexVol volume to a disaster recovery replica

D. If the source FlexVol volume is lost or destroyed, clients can connect to the mirror image of the source data

Correct Answer: ACD

QUESTION 15

Which two now feature are available in Data ONTAP 8.1.1 C-Mode? (Choose two)

A. Flash pool

B. SSD Support

C. Infinite volume

D. Infiniband

Correct Answer: AC

https://communities.netapp.com/community/netapp-blogs/sanbytes/blog/2012/06/24/announcingdataontap-811-operating-in-cluster-mode

Latest NS0-157 Dumps NS0-157 PDF Dumps NS0-157 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.