



1Z0-931-21^{Q&As}

Oracle Autonomous Database Cloud 2020 Specialist

Pass Oracle 1Z0-931-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-931-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A Corporation is building a web application to allow its customers to schedule service requests online. There is also a need to run operational reports at times during non-peak hours. The architecture team is debating whether such reports should be run on the OLTP database or in a separate data mart. The DBA Manager does not want to add anymore admin responsibility to the team and is looking for a database option that's low to zero maintenance, but meets their strict performance requirements as well.

Which Oracle Cloud Infrastructure database service is appropriate for this scenario?

- A. Since the application needs to be highly available, it should be deployed on a Kubernetes Cluster.
- B. ADW since operational reporting is a higher priority in this scenario.
- C. It is best to build a separate data warehouse, and move the OLTP data on a nightly basis.
- D. ATP. Using 'tpurgent' and 'high' TNS services to separate connection types.

Correct Answer: D

Autonomous Transaction Processing provides all of the performance of the market leading Oracle Database in an environment that is tuned and optimized to meet the demands of a variety of applications, including: mission-critical transaction processing, mixed transactions and analytics, IoT, and JSON document store.

As a service Autonomous Transaction Processing does not require database administration. With Autonomous Transaction Processing you do not need to configure or manage any hardware, or install any software. Autonomous Transaction Processing handles creating the database, backing up the database, patching and upgrading the database, and growing or shrinking the database.

QUESTION 2

Which two methods can you use to create users and grant roles in Autonomous Database services? (Choose two.)

- A. through the Oracle Cloud Infrastructure service console
- B. through SQL Developer
- C. using DBMS_CLOUD_ADMIN package
- D. through SQLPlus

Correct Answer: BD

<https://oracle-base.com/articles/vm/oracle-cloud-autonomous-data-warehouse-adw-create-service> <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/connectsqlplus.html#GUID-A3005A6E-9ECF-40CB-8EFC-D1CFF664EC5A>

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/connect-sqldev.html#GUID-FB611317-2999-4C8C-8A3B-B3B3D3C5B417>

<https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/dbms-cloudadmin.html#GUID-D76B229E-781E-45C0-9F14-CAF30F9E6E3B>



"To create users in your database, connect to the database as the ADMIN user using any SQL client tool." <https://docs.oracle.com/en/cloud/paas/autonomous-data-warehouse-cloud/user/manage-users/create.html#GUID-54CA837B-CD6A-4ED2-A960-5874535818CB>

QUESTION 3

Your customer wants to permanently disable scheduled maintenance on Autonomous Dedicated Infrastructure to keep their current database version(s).

How can they achieve this?

- A. Change the Automatic Maintenance Schedule to 'None'.
- B. Change the Automatic Maintenance Schedule to 'Specify a Schedule' but do not select any month, week or day.
- C. You cannot permanently disable scheduled Automatic Maintenance.
- D. Change the Automatic Maintenance Schedule to 'No Preference'.

Correct Answer: C

"If the Autonomous Exadata Infrastructure resource doesn't have a customized schedule, its maintenance schedule will be automatically modified so that it precedes the Autonomous Container Database schedule you define."

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/change-maintenancescheduleacd.html#GUID-CA028A37-5510-473E-B4D0-A5D454B8DA6E>

QUESTION 4

Which three security features are available in Oracle Autonomous Database Shared Infrastructure?

- A. Transparent Data Encryption
- B. Database Vault
- C. Customer Managed Keys
- D. Data Redaction
- E. Audit Vault

Correct Answer: ABC

<https://docs.oracle.com/en/cloud/paas/atp-cloud/atpfg/security-features-adb1.html#GUID-89E3C22ED4EB-472B-8287-41682C2B61B3>

QUESTION 5

An Autonomous Database (ADB) user with an instance wallet has left the company and they shared a database user id with other users when accessing ADB.



Other than changing the shared user password, what can the admin do to protect the instance?

- A. Trust the user who left to not access the database.
- B. Shutdown and restart the instance.
- C. Rotate the instance wallet and share the new wallet with the remaining users.
- D. Delete the user.

Correct Answer: C

Rotate Wallets for Autonomous Database

Wallet rotation lets you invalidate existing client certification keys for a database instance or for all Autonomous Database instances in a region.

You may want to rotate wallets for any of the following reasons:

- If your organization's policies require regular client certification key rotation.
- When a client certification key or a set of keys is suspected to be compromised.

There are two options for client certification key rotation:

- Per-database with **Instance Wallet** selected:
 - For the database whose certification key is rotated, any existing database specific instance wallets will be void. After you rotate a wallet you have to download a new wallet to connect to the database.
 - Regional wallets containing all database certification keys continue to work.
 - All user sessions are terminated for the database whose wallet is rotated. User session termination begins after wallet rotation completes, however this process does not happen immediately.
- Regional level with **Regional Wallet** selected:
 - For the region whose certification key is rotated, both regional and database specific instance wallets will be void. After you rotate a wallet you have to download new regional or instance wallets to connect to any database in the region.
 - All user sessions are terminated for the databases in the region whose wallet is rotated. User session termination begins after wallet rotation completes, however this process does not happen immediately.

[1Z0-931-21 PDF Dumps](#)

[1Z0-931-21 Practice Test](#)

[1Z0-931-21 Exam Questions](#)